

POWER SUPPLIES

KELE DC POWER SUPPLY DCP-524



DESCRIPTION

The **Kele Model DCP-524** is a power supply with dual isolated-outputs. Powered by 24 VAC, it provides 5 VDC and 24 VDC. The outputs are highly regulated, require no field adjustment, and are isolated from each other and the input voltage. The **Model DCP-524** is used any time an isolated 5 VDC, 24 VDC, or combination is needed.


FEATURES

- **Low cost**
- **Snap-track mounted**
- **Dual isolated DC outputs, 5 VDC and 24 VDC**
- **Requires no field adjustment**
- **Transformer isolated**



DCP-524

SPECIFICATIONS			
Supply Voltage	22-28 VAC @ 630 mA	Operating Humidity	95% RH non-condensing
Output Voltage	5 VDC (regulated) and 24 VDC (regulated)	Mounting	Snap-track (included)
Supply Frequency	50/60 Hz	Dimensions	2.38"H x 4.0"W x 2.0"D (6.0 x 10.2 x 5.0 cm)
Output Current	250 mA maximum @ 5 VDC; 80 mA maximum @ 24 VDC	Weight	0.9 lb (0.4 Kg)
Operating Temperature	32° to 130°F (0° to 55°C)	Warranty	1 year



ORDERING INFORMATION

MODEL	DESCRIPTION
DCP-524	Power supply, 24 VAC IN to 24 VDC and 5 VDC OUT

POWER SUPPLIES 16