



RELAYS & CONTACTORS

ABB RELAY SOCKETS

1SVR4056 (CR-X SERIES) RELAY SOCKETS SERIES

DESCRIPTION

The **ABB 1SVR (CR-X) Series** Relay Sockets are for use with the **ABB 1SVR Series** Relays. The **1SVR-P, -M, -U Series** include both spring and screw terminals and are available for one, two, three or four pole relays. The **1SVR-P, -M, -U** sockets can be DIN or surface mounted.

FEATURES

- Use with 1SVR-P, 1SVR-M, 1SVR-U relays
- Screw terminals or spring terminals
- Surface or DIN rail mount
- UL recognized, CSA, and CE approved

NEW!



SPECIFICATIONS


1SVR-P Series Sockets (CR-P Series)							
MODEL TYPE	SOCKET TYPE	RATED VOLTAGE	RATED CURRENT	CONNECTION TYPE	WIRE SIZE	WEIGHT	APPROVALS
1SVR405650R1000	Blade, DIN or surface mount	250V	One c/o = 16A, Two c/o = 8A	Screw	Two 14 AWG	0.084 lb (0.038Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SVR405650R0000	Blade, DIN or surface mount	250V	One c/o = 16A, Two c/o = 8A	Screw	Two 14 AWG	0.10 lb (0.045Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SVR405650R0200	Blade, DIN or surface mount	250V	One c/o = 16A, Two c/o = 8A	Spring Clip	Two 14 AWG	0.093 lb (0.042Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SVR-M Series Sockets (CR-M Series)							
MODEL TYPE	SOCKET TYPE	RATED VOLTAGE	RATED CURRENT	CONNECTION TYPE	WIRE SIZE	WEIGHT	APPROVALS
1SVR405651R1000	Blade, DIN or surface mount	250V	12A	Screw	Two 14 AWG	0.15 lb (0.07Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SVR405651R2000	Blade, DIN or surface mount	250V	10A	Screw	Two 14 AWG	0.15 lb (0.07Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SVR405651R3000	Blade, DIN or surface mount	250V	6A	Screw	Two 14 AWG	0.15 lb (0.07Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SVR405651R1100	Blade, DIN or surface mount	250V	12A	Screw	Two 14 AWG	0.12 lb (0.06Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SVR405651R2100	Blade, DIN or surface mount	250V	10A	Screw	Two 14 AWG	0.14 lb (0.062Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SVR405651R3100	Blade, DIN or surface mount	250V	6A	Screw	Two 14 AWG	0.15 lb (0.07Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SVR405651R1200	Blade, DIN or surface mount	300V	10A	Spring Clip	Two 16 AWG	0.14 lb (0.062Kg)	UL 508, UL Recognized File #E70550, CE
1SVR405651R3200	Blade, DIN or surface mount	300V	10A	Fork	Two 16 AWG	0.15 lb (0.07Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SVR405651R1300	Blade, DIN or surface mount	250V	12A	Fork	Two 16 AWG	0.09 lb (0.04Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SVR405651R3300	Blade, DIN or surface mount	250V	6A	Fork	Two 16 AWG	0.10 lb (0.045Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SVR-U Series Sockets (CR-U Series)							
MODEL TYPE	SOCKET TYPE	RATED VOLTAGE	RATED CURRENT	CONNECTION TYPE	WIRE SIZE	WEIGHT	APPROVALS
1SCR405660R0000	11-Pin, DIN or surface mount	250V	10A	Spring Clip	Two 14 AWG	0.10 lb (0.045Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SCR405670R0000	8-Pin, DIN or surface mount	250V	10A	Spring Clip	Two 14 AWG	0.12 lb (0.06Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SCR405660R1100	11-Pin, DIN or surface mount	250V	10A	Spring Clip	Two 14 AWG	0.093 lb (0.042Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE
1SCR405670R1100	8-Pin, DIN or surface mount	250V	10A	Spring Clip	Two 14 AWG	0.10 lb (0.045Kg)	UL 508, UL Recognized File #E70550, CSA C22.2 NO. 14- File# 4078, CE




DIMENSIONS CONT.

in ISVR-P Series (mm)

Sockets for screw connection




CR-PLS



CR-PLC


Sockets for spring connection




CR-PSS

ISVR-M Series

Sockets for screw connection




CR-M2SS, CR-M3SS, CR-M4SS



CR-M2LS, CR-M3LS, CR-M4LS


Sockets for spring connection



CR-M2LC, CR-M4LC


ISVR-U Series

Sockets for screw connection




CR-U2S

CR-U3S




CR-U3E



CR-U2SM

CR-U3SM



CR-U3SM



RELAYS & CONTACTORS

ABB RELAY SOCKETS

1SVR4056 RELAY SOCKETS SERIES

ORDERING INFORMATION

1SVR-P Series Sockets (CR-P Series)

MODEL	DESCRIPTION
1SVR405650R1000	Socket, screw terminal connections for one or two SPDT switches, Blade, DIN or surface mount
1SVR405650R0000	Socket, screw terminal connections for one or two SPDT switches, logical socket, Blade, DIN or surface mount
1SVR405650R0200	Socket, spring terminal connections for one or two SPDT switches, logical socket, Blade, DIN or surface mount

1SVR-M Series Sockets (CR-M Series)

MODEL	DESCRIPTION
1SVR405651R1000	Socket, screw terminals for 2PDT switches, Blade, DIN or surface mount
1SVR405651R2000	Socket, screw terminals for 3PDT switches, Blade, DIN or surface mount
1SVR405651R3000	Socket, screw terminals for 4PDT switches, Blade, DIN or surface mount
1SVR405651R1100	Socket, screw terminal connections for DPDT switches, logical socket, Blade, DIN or surface mount
1SVR405651R2100	Socket, screw terminal connections for 3PDT switches, logical socket, Blade, DIN or surface mount
1SVR405651R3100	Socket, screw terminal connections for 4PDT switches, logical socket, Blade, DIN or surface mount
1SVR405651R1200	Socket, spring terminal connections for DPDT switches, logical socket, Blade, DIN or surface mount
1SVR405651R3200	Socket, spring terminal connections for 4PDT switches, logical socket, Blade, DIN or surface mount
1SVR405651R1300	Socket, fork terminals for 2PDT switches, Blade, DIN or surface mount
1SVR405651R3300	Socket, fork terminals for 4PDT switches, Blade, DIN or surface mount

1SVR-U Series Sockets (CR-U Series)

MODEL	DESCRIPTION
1SCR405660R0000	Socket, 2PDT switches and optional module, 11-Pin, DIN or surface mount
1SCR405670R0000	Socket, 3PDT switches and optional module, 8-Pin, DIN or surface mount
1SCR405660R1100	Socket, 2PDT switches/small, 11-Pin, DIN or surface mount
1SCR405670R1100	Socket, 3PDT switches/small, 8-Pin, DIN or surface mount
1SVR405659R0000	Socket holder (plastic) for 1SVR-P series relays
1SVR405658R5000	Socket jumper bar for 1SVR-P series relays with screw connections
1SVR405658R0000	Socket marker for 1SVR-P series relays
1SVR405659R1000	Socket holder (plastic) for 1SVR-M series relays
1SVR405659R1100	Socket holder (metal) for 1SVR-M series relays
1SVR405658R6000	Socket jumper bar for 1SVR-M series relays with screw connections
1SVR405658R1000	Socket marker for 1SVR-M series relays
1SCR405669R0000	Socket holder (plastic) for 1SVR-U series relays

ACCESSORIES

1SVR405658R0000	Relay marker for 1SVR-P/CR-PM
1SVR405658R1000	Relay marker for 1SVR-M/CR-MM
1SVR405658R5000	Relay jumper for 1SVR-P/CR-PJ
1SVR405658R6000	Relay jumper for 1SVR-M/CR-MJ
1SVR405659R0000	Relay holder for 1SVR-P/CR-PH
1SVR405659R1100	Relay plastic holder for 1SVR-M/CR-MH
1SVR405659R1100	Relay metal holder for 1SVR-M/CR-MH1
1SVR405669R0000	Relay socket for 1SVR-Ueps

RELATED PRODUCTS

DINRALU	DIN rail, aluminum, 39.4" (1m)
DINRSTL	DIN rail, steel, 39.4" (1m)
NBS Series	Block spades