

70-783D11-1A

Socket, Legacy general purpose relay accessory,
3PDT, 16A, 300 V, 11 pins, screw clamping
terminal, 784 series



Main

| | |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------|
| Product range | Legacy |
| Product type | Socket |
| Product compatibility | relay 783XCX suppressor module 70-ASMM diode 70-ASMD signalling device 70-ASMLG suppressor module 70-ASMR |
| Number of terminals | 11 |
| Switch function | 3PDT |
| Contact composition | 3 NO + 3 NC |

Complementary

| | |
|------------------------------|---------------------------------------------------------------------------|
| Line Rated Current | 16 A |
| Rated voltage | 300 V |
| Contact terminal arrangement | Mixed |
| Connections - terminals | Output screw clamp terminalssolid Output screw clamp terminalsstranded |
| Tightening torque | Chassis 0.8 N.m, AWG 14...AWG 12, copper Screw 1 N.m |
| Fixing mode | By screw M3.5, M3.5 panel Clip-on 35 mm symmetrical rail |
| Shape of screw head | Combination roundhead |
| Net Weight | 1.94 oz (55 g) |
| Width | 1.57 in (40 mm) |
| Depth | 2.24 in (57 mm) |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications.

Environment

| | |
|-----------------------------------------|-----------------------------|
| Ambient air temperature for storage | -40...221 °F (-40...105 °C) |
| Ambient temperature range - operational | -40...131 °F (-40...55 °C) |
| IP degree of protection | IP20 |
| Flame retardance | UL94-V0 |
| Product certifications | UL CSA CE RoHS |

Ordering and shipping details

| | |
|------|----------------|
| GTIN | 03606480278174 |
|------|----------------|

Offer Sustainability

| | |
|----------------------------|------------------------------------------------------------------------------------------------------------------------------|
| Sustainable offer status | Green Premium product |
| RECh Regulation | RECh Declaration |
| RECh free of SVHC | Yes |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration |
| Toxic heavy metal free | Yes |
| Mercury free | Yes |
| RoHS exemption information | Yes |
| China RoHS Regulation | China RoHS declaration |
| Environmental Disclosure | Product Environmental Profile |
| WEEE | The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins. |

Approximate Dimensions

