


801 Avenida Acaso, Camarillo, Ca. 93012 • (805) 494-0622 • www.sdcsecurity.com • E-mail: service@sdcsecurity.com

INSTALLATION INSTRUCTIONS MODEL 463U/463NU REQUEST-TO-EXIT SWITCH





Specifications

Input Voltage Requirements: 12-24V AC/DC

Current Draw:

Idle-30mA, Active-150mA

Output:

1 Dry Relay Contact, SDPT 3 Amp @ 30VDC (Resistive)

Relay Time:

Adjustable – 1 to 30 seconds or Toggle Mode – ON/OFF

Switch Operating Environment:

-40° F to +160°F (-40° C to +70°C)

Dimensions:

463U - Standard 4.75" H x 3" W x 1.125" D (120.65 x 76.20 x 28.58 mm) 463NU - Narrow 4.75" H x 1.75" W x 1.125" D (120.65 x 44.45 x 28.58 mm)


Mounting Method

46311


Mounts directly to a single gang switchbox.

463NU: Mullion mount


(See template below. Not to scale.)



Page 1




Connecting To A Keypad Controlled Fail-Safe OR Fail-Secure Locking Device:



Programming

Use the DIP switches to adjust the Relay Activation Time or to reverse the Standby Illumination setting.



Programming Feature	Dip Switch #			
	1	2	3	4
5 second unlock delay	ON			
10 second unlock delay		ON		
20 second unlock delay			ON	
Toggle ON/OFF	ON	ON	ON	
Standby Illumination				*

<u>Relay Activation Time</u> – Controlled by DIP switches #1, 2 & 3. DIP switches are additive. For example, DIP switches #1 & 2 in the ON position equals 15 seconds.

Minimum Time (DIP switches 1, 2 & 3 are OFF) = 1 second

Minimum Time (DIP switches 1, 2 & 3 are OFF) = 1 second Maximum Time (DIP switches 2 & 3 are ON) = 30 seconds

★ Standby Illumination Status – controlled by DIP switch #4.
SW #4 OFF = Red (Idle); Flashing Green (Relay Active)
SW #4 ON = Green (Idle); Flashing Red (Relay Active)