




801 Avenida Acaso, Camarillo, Ca. 93012 • (805) 494-0622 • www.sdcsecurity.com • E-mail: service@sdcsecurity.com

## **INSTALLATION INSTRUCTIONS** E300 SERIES MAGNETIC CABINET/DISPLAY CASE LOCK

The E300 Series magnetic lock is mounted to the underside of the cabinet housing or vertically inside the cabinet.



## **Electrical Specifications:**

12 or 24VDC **Dual Voltage** 


**Power Consumption** 360mA@12VDC


180mA@24VDC

LS Lock Status Sensor SPDT, 250mA@30VDC




CE






STEP 1

 FOLD TEMPLATE ALONG DOTTED LINE.




PLACE TEMPLATE AGAINST CABINET DOOR AND FRAME.




 DRILL HOLES AS INDICATED ON TEMPLATE.

## STEP 2


MOUNT THE ARMATURE PLATE TO DOOR USING (1)
RUBBER WASHER SANDWICHED BETWEEN (2)
STEEL WASHERS (THE RUBBER WASHER AND (2)
STEEL WASHERS ARE INSTALLED ON THE
MOUNTING BOLT BETWEEN THE ARMATURE PLATE
AND DOOR).






## STEP 3

- INSTALL THE MOUNTING PLATE
- ADJUST THE MOUNTING PLATE SO THAT IT AND THE ARMATURE FORM A RIGHT ANGLE.
- INSTALL THE REMAINING MOUNTING SCREWS.





STEP 4

 INSTALL MAGNET TO MOUNTING PLATE.

**CAUTION:** The lock body must be held in place until secured with mounting screws. Secure socket head screws provided inside the housing at each end. Start screws into threads carefully to avoid stripping the threads. Check alignment and tighten screws. Pull wires through frame, mounting plate and magnet housing